

PRODUCT-DETAILS

JMKL20HF

JMKL20HF Conduit bend, HF



General Information

Extended Product Type	JMKL20HF
Product ID	2TKA00004492
EAN	6438199008288
Catalog Description	JMKL20HF Conduit bend, HF
Long Description	Halogen free (HF) conduit bend comes with locking glue and is used when the conduit is difficult to bend. The bend is 90°. 750N

Technical

Number of Batteries	0
---------------------	---

Environmental

RoHS Status	Following EU Directive 2011/65/EU
RoHS Information	9AKK106713A4634
Environmental Information	2TVD100420

Dimensions

Product Net Width	0.102 m
-------------------	---------

Product Net Height	0.024 m
Product Net Depth / Length	0.102 m
Product Net Weight	0.02078 kg

Ordering

Minimum Order Quantity	300 piece
Package Level 1 Units	box 10 piece
Package Level 1 Gross Weight	0.21 kg
E-Number (Finland)	1111004
E-Number (Sweden)	1400889

Certificates and Declarations

Declaration of Conformity - CE	9AKK106713A4627
--------------------------------	-----------------

Installation

Instructions and Manuals	No document needed
--------------------------	--------------------

Popular Downloads

Data Sheet, Technical Information	No document needed
Building Information Modeling - BIM	9AKK108468A3682

Classifications

ETIM 8	EC000936 - Bend for installation tubes
ETIM 9	EC000936 - Bend for installation tubes
WEEE Category	Product Not in WEEE Scope
WEEE B2C / B2B	Business To Business
CN8	39172310

Categories

Low Voltage Products and Systems → Installation Materials → Conduits & Accessories → Accessories for Plastic Conduits → Conduit Bends

