

**Crometta S**  
**Showerpipe 240 1jet EcoSmart with thermostat**  
 Finish: **Chrome** Article Number: **27268000**



## Description

### product features

- consists of: overhead shower, hand shower, shower thermostat, shower hose, slider, shower bar
- overhead shower Crometta S 240
- shower head size overhead shower: 240 mm
- spray type overhead shower: Rain
- spray type hand shower: Rain, IntenseRain
- flow rate of hand shower at 3 bar: 7,6 l/min
- maximum flow rate for Showerpipe at 3 bar: 7,6 l/min
- minimum flow pressure: 1 bar
- max. operating pressure: 10 bar
- ball-joint: overhead shower angle adjustable
- hand shower holder inclination angle can be adjusted by 45°
- pipe can be shortened in height
- shower bar diameter: 22 mm
- height-adjustable hand shower holder
- shower arm length overhead shower: 350 mm
- thermostat Ecostat 1001 CL
- safety stop at 40°C
- adjustable hot water limitation
- outlets controlled via turning handle
- suitable for continuous flow water heaters
- mounting type: exposed installation
- connection dimension DN15
- connection thread G ½
- centre distance 150 ± 12 mm
- intrinsically safe against backflow
- pipe length: 1201 mm
- 2 functions
- EU taxonomy: max. 8 l/min - Do No Significant Harm (DNSH)
- EPD\_20230022\_Showerpipes

## Technology



## Certificates / Sustainability




**Crometta S**  
**Showerpipe 240 1jet EcoSmart with thermostat**  
 Finish: **Chrome** Article Number: **27268000**




Product image



Scale drawing




Flowchart



**Crometta S**  
**Showerpipe 240 1jet EcoSmart with thermostat**  
 Finish: **Chrome** Article Number: **27268000**



Installation examples




**Crometta S**  
**Showerpipe 240 1jet EcoSmart with thermostat**  
 Finish: **Chrome** Article Number: **27268000**



**Exploded Drawing**

Year of production: >04/16



**Crometta S**  
**Showerpipe 240 1jet EcoSmart with thermostat**  
 Finish: **Chrome** Article Number: **27268000**



## Spare part list

Year of production: >04/16

Pos.	Description	Article Number	PC	PU
1	mounting set	98716000	5	1
2	tile-matching-disk 7 mm	95239000	5	1
3	O-Ring 50x2	98187000	1	1
4	wall flange	95688000	8	1
5	escutcheon Ø 60 mm	95692000	6	1
6	O-ring 20x2	98165000	1	1
7	screw	92137000	2	1
8	sleeve	92166000	9	1
9	hollow set screw M6x5	98447000	1	1
10	shower arm	93072000	15	1
11	filter packing	94246000	1	1
12	flow limiter (9 l/min)	95659000	3	1
13	head shower	26724000	98	1
14	O-ring 15x2,5	98131000	1	1
15	pipe 1000 mm	96743000	12	1
16	pipe 1200 mm	95665000	12	1
17	pipe 1450 mm	96770000	18	1
18	O-ring 12x2,25	98382000	1	1
19	support, assy	92366000	9	1
20	handshower	26332400	98	1
21	shower hose Isiflex'B 1,60 m	28276000	98	1
22	seal	98058000	1	1
23	O-ring 14x2	98129000	1	1
24	Thermostat	93352000	19	1
25	handle	92836000	9	1
26	cover cap	95433000	2	1
27	safety set for temperature control	95041000	5	1
28	thermostat cartridge	94282000	15	1
29	stop ring for flow control	98674000	3	1
30	shut off unit with selector	96509000	13	1
31	set of nuts	96157000	8	1
32	non return valve (pressure-resistant up to 2 MPa)	93136000	8	1
33	non return valve	96737000	8	1
34	O-ring 17x1,5	98137000	1	1
35	filter packing	96922000	3	1
36	escutcheon Ø 68 mm	96467000	6	1
37	set of S-unions (±12 mm)	94140000	10	1
38	noise reduction	96429000	2	1