

## Croma Select S

Shower system for exposed installation Vario with Ecostat 1001 CL thermostat and shower bar 72 cm

Surfaces: **White/Chrome** Article Number: **27833400**



### Description

#### product features

- consists of: hand shower, shower thermostat, shower bar, slider, shower hose
- shower head size: 110 mm
- convenient diversion via Select button
- spray type hand shower: Rain, IntenseRain, TurboRain
- maximum flow rate at 3 bar: 14,7 l/min
- minimum flow pressure: 1,2 bar
- profile stand pipe: round
- shower bar diameter: 22 mm
- variable drilling hole distance: 400 - 660 mm
- pivot connector prevent hose from tangling
- 90° position adjustable hand shower holder, pivots left and right, up and down
- wall supports of plastic
- max. operating pressure: 6 bar
- min. operating pressure: 1,2 bar


### Technology



### Product image



### Scale drawing




**Croma Select S**

**Shower system for exposed installation Vario with Ecostat 1001 CL thermostat and shower bar 72 cm**

Surfaces: **White/Chrome** Article Number: **27833400**



**Flowchart**




The consumption was measured in combination with the appropriate fittings (thermostat/mixer/in-wall valve) to reflect actual application in practice.

**Croma Select S**  
**Shower system for exposed installation Vario with Ecostat 1001 CL thermostat and shower bar**  
**72 cm**  
 Surfaces: **White/Chrome** Article Number: **27833400**



Exploded Drawing

Year of production: >07/17



**Croma Select S**

**Shower system for exposed installation Vario with Ecostat 1001 CL thermostat and shower bar 72 cm**

Surfaces: **White/Chrome** Article Number: **27833400**



**Spare part list**

Year of production: >07/17

<b>Pos.</b>	<b>Description</b>	<b>Article Number</b>	<b>Price</b>	<b>PU</b>
1	-	27355000	-	1
2	shower hose 1,60 m	28168000	-	1
3	handshower	26803400	-	1
4	Thermostat	13211000	-	1