

HL510NPr-3020


Floor drain DN40/50 horizontal with sifon cartridge Primus and extension with tilable frame 132x132mm / 112x112mm



Floor drain DN40/50 horizontal with sifon cartridge Primus and extension with tileable stainless steel frame 132 x 132 mm / 112 x 112 mm, shortable from 10 - 80 mm. Lot cover included.



Techn. drawing



TECHNICAL DATA

material	PE, PP, Edelstahl	installation height	111 mm
dimension	DN40/50	grate frame	10 - 80 mm / 132 x 132 mm
capacity	0,50 l/s	grate	112 x 112 mm

weight	0,844	load class	K3 - 300 kg
EAN	9003076034413	inlet	
		standards	

MAIN DATA

spare parts



HL2000KK
trap seal PRIMUS



HL01086D
O-ring 88x5mm



HL3020
Extension with tilable frame d 110mm, stainless steel frame 132x132mm / 112x112mm



HL03020.1E
Mould for tiles 112x112mm, fits to HL3020



HL510NK-3020
Floor drain body DN40/50 horizontal with deep, pre-installed lot cover



HL03020.OE
Deep lot cover, fits to HL3020 series

attachment



HL6200
Sound protection pad 500x500mm



HL82
heating kit 18W/230V

Alternatives



HL510N-3020
Floor drain DN40/50 horizontal with sifon cartridge and extension with tilable frame 132x132mm / 112x112mm

extensions



HL340N
extension 80mm/d 110mm incl. O-ring



HL85N-3020
Extension with flange and O-ring and deep, pre-installed lot cover, fitting to HL3020 series.

Waterproofing Kits



HL83
waterproofing kit with EPDM collar 400x400mm



HL83.0
waterproofing kit



HL83.H
waterproofing kit with bitumen membrane d 400mm

**HL83.M**

Sealing kit with laminated fleece

**HL83.P**

waterproofing kit with flange PVC d 287mm

**HL83.PP**

Sealing set with PP flange

DOWNLOADS

Foto Print	HL510NPr_3020_pr.tif	max.
Foto Web	HL510NPr_3020_B.jpg	640x480/300dpi
Foto Parts List	HL510NPr_3020_gr.jpg	150x150/72dpi
Techn. drawing	HL510NPr3020_1_a.pdf	pdf
CAD	510NPr-3020_2_a.dxf	dxf
example of use	HL510NPr_3020_PZ.pdf	pdf