

HL64.1H


flat-roof drain DN75/110 horizontal with bitumen membrane heated (10-30W/230V)



flat-roof drain DN75/110 horizontal with insulated drain body, bitumen membrane d 500 mm for perfect and easy lap-joint waterproofing with bituminous membranes, self-regulating heating element (10 - 30 W / 230 V) and domed plastic grate d 180 mm. Comes with lot cover.



Techn. drawing



TECHNICAL DATA

material	PP	installation height	147mm
dimension	DN75/110	grate frame	
capacity	DN75: 10 l/s; DN110: 6 l/s	grate	Laubfangkorb d 145mm
weight	2,1	load class	
EAN	9003076816415	inlet	

MAIN DATA

spare parts

**HL062.1E**

domed plastic grate

**HL170**

flat grate d 150mm

attachment

**HL160**

gravel guard d 150mm

**HL175**

domed grate stainless steel

**HL635N**

Drainage and inspection chamber for green roofs, gravel roofs and terraces. Including plastic frame and plastic grate

**HL0635N.2**

Galvanized steel grate for drainage and inspection chamber HL635N(.0)

**HL0635N.3**

Plastic cover for drainage and inspection chamber HL635N(.0)

**HL636N**

Extension for drainage and inspection chamber HL635N(.0)

**HL66**

grating d 145mm sleek/(316) stainless steel frame 150x150mm/138x138mm (316) secured

**HL01058D**

tailback gasket for stainless steel flange 220x155mm

**HL062B.3E**

adapter

**HL160**

gravel guard d 150mm

**HL66.1**

grating d 145mm sleek/(316) stainless steel frame 150x150mm/138x138mm (316) secured and slip-resistant

**HL01058D**

tailback gasket for stainless steel flange 220x155mm

**HL062B.3E**

adapter

**HL160**

gravel guard d 150mm

**HL66.9**

grating d 145mm fluted/148x148mm/138x138mm

**HL062B.3E**

adapter



HL160
gravel guard d 150mm



HL67
grating round d 145mm sleek/(316) stainless steel frame d 155mm/d 145mm



HL01058D
tailback gasket for stainless steel flange 220x155mm



HL062B.3E
adapter



HL160
gravel guard d 150mm

Alternatives



HL64.1BH
flat-roof drain DN75/110 horizontal with bitumen membrane heated (10-30W/230V). Walkable - 148x148mm/137x137mm

extensions



HL350
extension 130mm/d 145mm



HL350.1
extension 180mm/d 145mm with flange and waterproofing kit HL84



HL350.1H
extension 180mm/d 145mm with bitumen membrane



HL65
extension 300mm/d 125mm with clamping ring



HL65H
extension 300mm/d 125mm with bitumen membrane



HL65P
extension 345mm/d 125mm with PVC collar

DOWNLOADS

Foto Print	HL64H_pr.tif	max.
Foto Web	HL64H_B.jpg	640x480/300dpi
Foto Parts List	HL64H_gr.jpg	150x150/72dpi
Techn. drawing	HL64_1H_b.pdf	pdf
CAD	HL64_1H_2_b.dxf	dxf
example of use	HL64_1H_PZ.pdf	pdf